JOURNAL OF MATERIALS PROCESSING TECHNOLOGY 196 (2008) 402–403

ELSEVIER

available at www.sciencedirect.com

ScienceDirect

journal homepage: www.elsevier.com/locate/jmatprotec



Author Index of Volume 196

Abbas, N., 321
Abbas, W.A., 64
Abodiena, A.M., 120
Agrawal, A., 249
Ahmadi, S.R., 213
Ahmed, M.I., 149
Aisa, J., 109
Akdoğan, A., 129
Aksan, M.A., 365
Ashrafizadeh, F., 205
Atzeni, E., 184

Badr, Y., 64
Balasubramanian, M., 222
Balasubramanian, V., 222
Basavarajappa, S., 332
Benítez, A.N., 109
Bernard, M.-C., 243
Bini, R., 345
Brusilovski, Z., 311
Bunchavimonchet, A., 94

Celik, E., 259
Cetinel, H., 259
Chandramohan, G., 332
Chiu, W.K., 279
Chu, E., 1
Cicală, E., 393
Clarinval, A.-M., 160
Claus, R.O., 155
Colosimo, B.M., 345

D. Sankir, N., 155
Danchaivijit, S., 94
Davim, J.P., 332
De Santis, A., 292
Delmas, F., 101
Di Bartolomeo, O., 292
Dixit, P.M., 249
Dormal, T., 160
Dotcheva, M., 42
Dwivedi, D.K., 197

El-Axir, M.H., 120
Eser, O., 135

Falaras, P., 243
Filgueira, M., 373
Firat, M., 135

Gaitonde, V.N., 73
Garay, J.E., 236
Ghoreishi, M., 303
Grevey, D., 393

Hernández, N., 109
Hernández, P., 109
Holanda, J.N.F., 88
Hsieh, C.-M., 230
Huang, W.M., 129

Iacoviello, D., 292
Iacoviello, F., 292
Iuliano, L., 184

Jayabalan, V., 222
Jiang, S., 190
Jouvard, J.M., 393

Kaftanoglu, B., 135
Karnik, S.R., 73
Khan, A.A., 149
Kontos, A.G., 243
Kontos, A.I., 243
Kose, E., 165
Kuranaga, C., 373
Kurt, A., 165
Kusoglu, M.I., 259
Kutlu, A.E., 345

Lecomte-Beckers, J., 160
Leite, R., 373
Leu, D.-K., 230
Lewis, A., 42
Li, C., 190
Livramento, V., 101
Longo, E., 10

Manhães, J.P.V.T., 88
Mansour, M.S., 64
Marrero, M.D., 109
Merwin, M., 266
Millward, H., 42
Monno, M., 345
Monshi, A., 52
Monzón, M., 109
Moreira, J.M.S., 88
Morsi, K., 236
Moshtaghioun, B.M., 52

Mukherjee, I., 379
Mutton, P.J., 279

Nakhjavani, O.B., 303
Naraghi, S., 236
Narasimhan, R., 174
Noben, J.-C., 160
Nurveren, K., 129

Ögel, B., 356
Oliveira, F.A.C., 101
Othman, O.M., 120

Pandey, S., 339
Patel, V.V., 236
Paulo Davim, J., 73
Pokorska, I., 15

Rajan, T.V., 197
Ramirez, M.A., 10
Ray, P.K., 379
Reddy, N.V., 249
Ren, Z., 190
Reza, S., 321
Reza, T., 321
Riccardi, C.S., 10
Ries, A., 10

Sadough, A., 213
Safaeirad, M., 205
Salem, H.G., 64
Sallamand, P., 393
Seker, U., 165
Serajzadeh, S., 115
Setasuwon, P., 94
Shahi, A.S., 339
Shakeri, M., 213
Sharma, A., 197
Sheikh, H., 115
Simões, A.Z., 10
Soveja, A., 393
Spyrellis, N., 243

Tawfik, D., 279
Toroghinejad, M.R., 205
Tsoukleris, D.S., 243

Übeyli, M., 356
Umbrello, D., 79

Elsevier B.V.
doi:10.1016/S0924-0136(07)01162-4

Vaneetveld, G., 160
Varela, J.A., 10
Varma, N.S.P., 174
Vezzetti, E., 33

Xu, Y., 1
Xue, K., 190

Yakinci, M.E., 365
Yıldırım, R.O., 356

Záhumenský, P., 266

JOURNAL OF MATERIALS PROCESSING TECHNOLOGY 196 (2008) 404–409

available at www.sciencedirect.com

ScienceDirect

journal homepage: www.elsevier.com/locate/jmatprotec



Subject Index of Volume 196

Adhesion
Elastic stress analysis of bi-layered isotropic coatings and substrate subjected to line scratch indentation, 213
Aluminum alloy
Estimation of flow stress behavior of AA5083 using artificial neural networks with regard to dynamic strain ageing effect, 115
Improvements in out-of-roundness and microhardness of inner surfaces by internal ball burnishing process, 120
Aluminum tubes
Influences of generalized loading parameters on FLD predictions for aluminum tube hydroforming, 1
Analysis of variance
Developing mathematical models to predict grain size and hardness of argon tungsten pulse current arc welded titanium alloy, 222
ANOVA
Taguchi multiple-performance characteristics optimization in drilling of medium density fibreboard (MDF) to minimize delamination using utility concept, 73
Some studies on drilling of hybrid metal matrix composites based on Taguchi techniques, 332
ANSYS
The effects of the feed rate on the cutting tool stresses in machining of Inconel 718, 165
Argon tungsten arc welding
Developing mathematical models to predict grain size and hardness of argon tungsten pulse current arc welded titanium alloy, 222
Armor
Investigation on the ballistic behavior of Al_2O_3/Al2024 laminated composites, 356
Artificial neural networks
Application of BPANN for prediction of backward ball spinning of thin-walled tubular part with longitudinal inner ribs, 190
A systematic solution methodology for inferential multivariate modelling of industrial grinding process, 379
Austenitic stainless steel
Modelling of the effects of welding conditions on dilution of stainless steel claddings produced by gas metal arc welding procedures, 339

Back-propagation algorithm
Application of BPANN for prediction of backward ball spinning of thin-walled tubular part with longitudinal inner ribs, 190
Bainite
Drawing of CCCT diagrams by static deformation and consideration deformation effect on martensite and bainite transformation in NiCrMoV steel, 321
Ball burnishing
Improvements in out-of-roundness and microhardness of inner surfaces by internal ball burnishing process, 120
Ball spinning
Application of BPANN for prediction of backward ball spinning of thin-walled tubular part with longitudinal inner ribs, 190
Ballistic test
Investigation on the ballistic behavior of Al_2O_3/Al2024 laminated composites, 356
Bauschinger effect
Sheet metal forming analyses with an emphasis on the springback deformation, 135
Bimodal distribution
Optimization of the formulation and post-treatment of stainless steel for rapid manufacturing, 160
Bottoming
The influence of coining force on spring-back reduction in V-die bending process, 230

Cast Al alloys
Machining of LM13 and LM28 cast aluminium alloys: Part I, 197
CCCT
Drawing of CCCT diagrams by static deformation and consideration deformation effect on martensite and bainite transformation in NiCrMoV steel, 321
Chip morphology
Finite element simulation of conventional and high speed machining of Ti6Al4V alloy, 79
Coated sheets
Evolution of artificial defects from slab to rolled products, 266
Coating
Elastic stress analysis of bi-layered isotropic coatings and substrate subjected to line scratch indentation, 213
Coining force
The influence of coining force on spring-back reduction in V-die bending process, 230
Combinations of generalized loading parameters
Influences of generalized loading parameters on FLD predictions for aluminum tube hydroforming, 1
Corrosion of tundish plaster
Analyze complex phases of slag–tundish plaster reactions by modified XRD ratio of slopes method for some kinetic considerations, 52

Elsevier B.V.
doi:10.1016/S0924-0136(07)01163-6

Cr_2O_3
Tribological behavior of Cr_2O_3 coatings as bearing materials, 259
Cryogenic cooling
Improving tool life using cryogenic cooling, 149
Crystallization kinetics
Thermal and superconducting properties of glass–ceramic HT_c BiSrCa(CuPr)O system, 365
Cutting force
Machining of LM13 and LM28 cast aluminium alloys: Part I, 197
Cutting forces
The evaluation of cutting-force coefficients using surface error measurements, 42
Cutting tool stresses
The effects of the feed rate on the cutting tool stresses in machining of Inconel 718, 165
Cutting tool temperature
Machining of LM13 and LM28 cast aluminium alloys: Part I, 197
Cutting-force coefficients
The evaluation of cutting-force coefficients using surface error measurements, 42

Deep drawing
Optimal blank shape prediction considering sheet thickness variation: An upper bound approach, 249
Defect evolution
Evolution of artificial defects from slab to rolled products, 266
Delamination factor
Taguchi multiple-performance characteristics optimization in drilling of medium density fibreboard (MDF) to minimize delamination using utility concept, 73
Design of experiments
Developing mathematical models to predict grain size and hardness of argon tungsten pulse current arc welded titanium alloy, 222
Differential scanning calorimetry (DSC)
Evolution of transformation characteristics with heating/cooling rate in NiTi shape memory alloys, 129
Dilution
Modelling of the effects of welding conditions on dilution of stainless steel claddings produced by gas metal arc welding procedures, 339
Dimension scatter
Adjustment and readjustment of electrochemical machines and control of the process parameters in machining shaped surfaces, 311
Doctor blade
Nanostructured TiO_2 films for DSSCS prepared by combining doctor-blade and sol–gel techniques, 243
Drilling
Taguchi multiple-performance characteristics optimization in drilling of medium density fibreboard (MDF) to minimize delamination using utility concept, 73
Some studies on drilling of hybrid metal matrix composites based on Taguchi techniques, 332
Dual matrix composite
Processing of titanium–titanium boride dual matrix composites, 236
Ductile cast iron
Quantitative shape evaluation of graphite particles in ductile iron, 292

Dye-sensitized solar cells
Nanostructured TiO_2 films for DSSCS prepared by combining doctor-blade and sol–gel techniques, 243

Earing
Optimal blank shape prediction considering sheet thickness variation: An upper bound approach, 249
EDM
Validation of electrical discharge machining electrodes made with rapid tooling technologies, 109
Electrode
Validation of electrical discharge machining electrodes made with rapid tooling technologies, 109
Electroforming
Validation of electrical discharge machining electrodes made with rapid tooling technologies, 109
Electromechanical machining
Adjustment and readjustment of electrochemical machines and control of the process parameters in machining shaped surfaces, 311
Experimental design
The application of the random balance method in laser machining of metals, 393

Feed rate
The effects of the feed rate on the cutting tool stresses in machining of Inconel 718, 165
FEM
Finite element simulation of conventional and high speed machining of Ti6Al4V alloy, 79
Elastic stress analysis of bi-layered isotropic coatings and substrate subjected to line scratch indentation, 213
Ferroelectricity
Ferroelectric and piezoelectric properties of bismuth layered thin films grown on (1 0 0) Pt electrodes, 10
Finite element method
Sheet metal forming analyses with an emphasis on the springback deformation, 135
Finite element method (FEM)
The effects of the feed rate on the cutting tool stresses in machining of Inconel 718, 165
Finite element model
Experimental and numerical investigations: Alleviating tensile residual stresses in flash-butt welds by localised rapid post-weld heat treatment, 279
Finite elements
A numerical study of the effect of loading conditions on tubular hydroforming, 174
Flame spray
Tribological behavior of Cr_2O_3 coatings as bearing materials, 259
Flat rolled products
Evolution of artificial defects from slab to rolled products, 266
FLC for tube hydroforming
Influences of generalized loading parameters on FLD predictions for aluminum tube hydroforming, 1
Flexible electronics
An alternative method for selective metal deposition onto flexible materials, 155
Flow stress
Estimation of flow stress behavior of AA5083 using artificial neural networks with regard to dynamic strain ageing effect, 115
Formability
Effect of microstructure and texture on formability and mechanical properties of hot-dip galvanized steel sheets, 205

Forming limit curves
Influences of generalized loading parameters on FLD predictions for aluminum tube hydroforming, 1
Forming limit diagram
Influences of generalized loading parameters on FLD predictions for aluminum tube hydroforming, 1
Friction
Tribological behavior of Cr_2O_3 coatings as bearing materials, 259
Friction material
Experimental study on grinding of a sintered friction material, 184

Genetic algorithm
Optimisation of effective factors in geometrical specifications of laser percussion drilled holes, 303
Gneiss powder waste
Processing of red ceramic using ornamental rock powder waste, 88
Grain size
Optimization of the formulation and post-treatment of stainless steel for rapid manufacturing, 160
Grinding
Experimental study on grinding of a sintered friction material, 184
A systematic solution methodology for inferential multivariate modelling of industrial grinding process, 379
Grinding force
Experimental study on grinding of a sintered friction material, 184

Heat treatment
Machining of LM13 and LM28 cast aluminium alloys: Part I, 197
Heating and cooling rate
Evolution of transformation characteristics with heating/cooling rate in NiTi shape memory alloys, 129
High pressure
Toughened RE-TZP ceramics obtained by HPHT process, 373
High speed machining (HSM)
Finite element simulation of conventional and high speed machining of Ti6Al4V alloy, 79
High tolerance plasma arc cutting
Experimental study of the features of the kerf generated by a 200 A high tolerance plasma arc cutting system, 345
High-T_c superconductors
Thermal and superconducting properties of glass–ceramic HT_c BiSrCa(CuPr)O system, 365
Hot-dip galvanizing
Effect of microstructure and texture on formability and mechanical properties of hot-dip galvanized steel sheets, 205
HPHT
Toughened RE-TZP ceramics obtained by HPHT process, 373
Hybrid MMCs
Some studies on drilling of hybrid metal matrix composites based on Taguchi techniques, 332

Image segmentation
Quantitative shape evaluation of graphite particles in ductile iron, 292
Inconel 718
The effects of the feed rate on the cutting tool stresses in machining of Inconel 718, 165
Inferential multivariate modelling
A systematic solution methodology for inferential multivariate modelling of industrial grinding process, 379
Interconnects
An alternative method for selective metal deposition onto flexible materials, 155
Interelectrode gap
Adjustment and readjustment of electrochemical machines and control of the process parameters in machining shaped surfaces, 311

Kinematic hardening
Sheet metal forming analyses with an emphasis on the springback deformation, 135
Kinetic consideration
Analyze complex phases of slag–tundish plaster reactions by modified XRD ratio of slopes method for some kinetic considerations, 52

Laminated composite
Investigation on the ballistic behavior of Al_2O_3/Al2024 laminated composites, 356
Laser cutting quality
CW Nd:YAG laser cutting of ultra low carbon steel thin sheets using O_2 assist gas, 64
Laser drilling
Optimisation of effective factors in geometrical specifications of laser percussion drilled holes, 303
Linear multivariate regression
A systematic solution methodology for inferential multivariate modelling of industrial grinding process, 379
Loading conditions
A numerical study of the effect of loading conditions on tubular hydroforming, 174
Longitudinal inner ribs
Application of BPANN for prediction of backward ball spinning of thin-walled tubular part with longitudinal inner ribs, 190

Machinability
Some studies on drilling of hybrid metal matrix composites based on Taguchi techniques, 332
Machine readjustment
Adjustment and readjustment of electrochemical machines and control of the process parameters in machining shaped surfaces, 311
Machining
Improving tool life using cryogenic cooling, 149
The application of the random balance method in laser machining of metals, 393
Machining accuracy
Adjustment and readjustment of electrochemical machines and control of the process parameters in machining shaped surfaces, 311
Machining behaviour
Machining of LM13 and LM28 cast aluminium alloys: Part I, 197
Martensite
Drawing of CCCT diagrams by static deformation and consideration deformation effect on martensite and bainite transformation in NiCrMoV steel, 321
Materials processing
Deformation of powder metallurgy materials in cold and hot forming, 15

Mathematical modelling
Estimation of flow stress behavior of AA5083 using artificial neural networks with regard to dynamic strain ageing effect, 115
Mechanical properties
Effect of microstructure and texture on formability and mechanical properties of hot-dip galvanized steel sheets, 205
Medium density fibreboard (MDF)
Taguchi multiple-performance characteristics optimization in drilling of medium density fibreboard (MDF) to minimize delamination using utility concept, 73
Melt treatment
Machining of LM13 and LM28 cast aluminium alloys: Part I, 197
Metal forming
Deformation of powder metallurgy materials in cold and hot forming, 15
Metal injection molding
The effects of binder components in wax/oil systems for metal injection molding, 94
Metallurgy
Deformation of powder metallurgy materials in cold and hot forming, 15
Metals
The application of the random balance method in laser machining of metals, 393
Microhardness
Improvements in out-of-roundness and microhardness of inner surfaces by internal ball burnishing process, 120
Microstructure
Machining of LM13 and LM28 cast aluminium alloys: Part I, 197
Mullite
Novel mullite-based ceramics manufactured from inorganic wastes. I. Densification behaviour, 101
Multilayer
Elastic stress analysis of bi-layered isotropic coatings and substrate subjected to line scratch indentation, 213
Multiple response
A systematic solution methodology for inferential multivariate modelling of industrial grinding process, 379

Nd:YAG laser
The application of the random balance method in laser machining of metals, 393
Neural network
Estimation of flow stress behavior of AA5083 using artificial neural networks with regard to dynamic strain ageing effect, 115
Optimisation of effective factors in geometrical specifications of laser percussion drilled holes, 303
NiTi shape memory alloy
Evolution of transformation characteristics with heating/cooling rate in NiTi shape memory alloys, 129
Numerical optimization
Modelling of the effects of welding conditions on dilution of stainless steel claddings produced by gas metal arc welding procedures, 339

Optimal blank shape design
Optimal blank shape prediction considering sheet thickness variation: An upper bound approach, 249
Optimisation
Optimisation of effective factors in geometrical specifications of laser percussion drilled holes, 303
Out-of-roundness
Improvements in out-of-roundness and microhardness of inner surfaces by internal ball burnishing process, 120
Oxygen assist gas
CW Nd:YAG laser cutting of ultra low carbon steel thin sheets using O_2 assist gas, 64

P/M materials
Deformation of powder metallurgy materials in cold and hot forming, 15
Parameters
CW Nd:YAG laser cutting of ultra low carbon steel thin sheets using O_2 assist gas, 64
Pattering
An alternative method for selective metal deposition onto flexible materials, 155
Phase transformation
Evolution of transformation characteristics with heating/cooling rate in NiTi shape memory alloys, 129
Piezoelectricity
Ferroelectric and piezoelectric properties of bismuth layered thin films grown on (1 0 0) Pt electrodes, 10
Plastic instability
Influences of generalized loading parameters on FLD predictions for aluminum tube hydroforming, 1
Polyester
An alternative method for selective metal deposition onto flexible materials, 155
Polyimide
An alternative method for selective metal deposition onto flexible materials, 155
Pore reopening
The effects of binder components in wax/oil systems for metal injection molding, 94
Porosity
Optimization of the formulation and post-treatment of stainless steel for rapid manufacturing, 160
Post-weld heat treatment
Experimental and numerical investigations: Alleviating tensile residual stresses in flash-butt welds by localised rapid post-weld heat treatment, 279
Powder metallurgy
Optimization of the formulation and post-treatment of stainless steel for rapid manufacturing, 160
Powder technology
Novel mullite-based ceramics manufactured from inorganic wastes. I. Densification behaviour, 101
Processing of red ceramic using ornamental rock powder waste, 88
Power spinning
Application of BPANN for prediction of backward ball spinning of thin-walled tubular part with longitudinal inner ribs, 190
Pulse current
Developing mathematical models to predict grain size and hardness of argon tungsten pulse current arc welded titanium alloy, 222

Rail welding
Experimental and numerical investigations: Alleviating tensile residual stresses in flash-butt welds by localised rapid post-weld heat treatment, 279

Random balance method
The application of the random balance method in laser machining of metals, 393
Rapid manufacturing
Optimization of the formulation and post-treatment of stainless steel for rapid manufacturing, 160
Rapid prototyping
Spin casting characterization: An experimental approach for the definition of runners design guidelines, 33
Rapid tooling
Spin casting characterization: An experimental approach for the definition of runners design guidelines, 33
Validation of electrical discharge machining electrodes made with rapid tooling technologies, 109
Rare earth oxides
Toughened RE-TZP ceramics obtained by HPHT process, 373
Ratio of slopes method
Analyze complex phases of slag–tundish plaster reactions by modified XRD ratio of slopes method for some kinetic considerations, 52
Recycling
Processing of red ceramic using ornamental rock powder waste, 88
Red ceramic
Processing of red ceramic using ornamental rock powder waste, 88
Refractories
Novel mullite-based ceramics manufactured from inorganic wastes. I. Densification behaviour, 101
Residual stresses
Experimental and numerical investigations: Alleviating tensile residual stresses in flash-butt welds by localised rapid post-weld heat treatment, 279
Resistive heating
Modelling of the effects of welding conditions on dilution of stainless steel claddings produced by gas metal arc welding procedures, 339
Response surface methodology
Modelling of the effects of welding conditions on dilution of stainless steel claddings produced by gas metal arc welding procedures, 339

Scratch
Elastic stress analysis of bi-layered isotropic coatings and substrate subjected to line scratch indentation, 213
Selective metal deposition
An alternative method for selective metal deposition onto flexible materials, 155
Shape characterization
Quantitative shape evaluation of graphite particles in ductile iron, 292
Sheet metal forming
Sheet metal forming analyses with an emphasis on the springback deformation, 135
Sintering
Processing of titanium–titanium boride dual matrix composites, 236
Toughened RE-TZP ceramics obtained by HPHT process, 373
Slate
Novel mullite-based ceramics manufactured from inorganic wastes. I. Densification behaviour, 101
Sol–gel
Nanostructured TiO_2 films for DSSCS prepared by combining doctor-blade and sol–gel techniques, 243
Solvent-thermal debinding
The effects of binder components in wax/oil systems for metal injection molding, 94
Spin casting
Spin casting characterization: An experimental approach for the definition of runners design guidelines, 33
Springback
Sheet metal forming analyses with an emphasis on the springback deformation, 135
Spring-back reduction
The influence of coining force on spring-back reduction in V-die bending process, 230
Stainless steel
The effects of binder components in wax/oil systems for metal injection molding, 94
Stainless steel cladding
Modelling of the effects of welding conditions on dilution of stainless steel claddings produced by gas metal arc welding procedures, 339
Static hot deformation
Drawing of CCCT diagrams by static deformation and consideration deformation effect on martensite and bainite transformation in NiCrMoV steel, 321
Strain paths
A numerical study of the effect of loading conditions on tubular hydroforming, 174
Stress analysis
Elastic stress analysis of bi-layered isotropic coatings and substrate subjected to line scratch indentation, 213
Surface defects
Evolution of artificial defects from slab to rolled products, 266
Surface error
The evaluation of cutting-force coefficients using surface error measurements, 42
Surface finish
Machining of LM13 and LM28 cast aluminium alloys: Part I, 197
Surface roughness
Experimental study on grinding of a sintered friction material, 184

Taguchi orthogonal array
Taguchi multiple-performance characteristics optimization in drilling of medium density fibreboard (MDF) to minimize delamination using utility concept, 73
Tetragonal phase
Toughened RE-TZP ceramics obtained by HPHT process, 373
Texture
Effect of microstructure and texture on formability and mechanical properties of hot-dip galvanized steel sheets, 205
Thermal conductivity
Thermal and superconducting properties of glass–ceramic HT_c BiSrCa(CuPr)O system, 365
Thermal cutting quality
Experimental study of the features of the kerf generated by a 200 A high tolerance plasma arc cutting system, 345

Thermodynamic
Drawing of CCCT diagrams by static deformation and consideration deformation effect on martensite and bainite transformation in NiCrMoV steel, 321
Thermoelectric power
Thermal and superconducting properties of glass–ceramic HT_c BiSrCa(CuPr)O system, 365
Thin-film
Ferroelectric and piezoelectric properties of bismuth layered thin films grown on (1 0 0) Pt electrodes, 10
TiO_2 nanocrystalline thin films
Nanostructured TiO_2 films for DSSCS prepared by combining doctor-blade and sol–gel techniques, 243
Titanium
Processing of titanium–titanium boride dual matrix composites, 236
Titanium alloy
Finite element simulation of conventional and high speed machining of Ti6Al4V alloy, 79
Developing mathematical models to predict grain size and hardness of argon tungsten pulse current arc welded titanium alloy, 222
Titanium boride
Processing of titanium–titanium boride dual matrix composites, 236
Titanium composites
Processing of titanium–titanium boride dual matrix composites, 236
Tool life
Improving tool life using cryogenic cooling, 149
Tool wear
Improving tool life using cryogenic cooling, 149
Transformation characteristic
Evolution of transformation characteristics with heating/cooling rate in NiTi shape memory alloys, 129
Tribology
Tribological behavior of Cr_2O_3 coatings as bearing materials, 259
Tube hydroforming
Influences of generalized loading parameters on FLD predictions for aluminum tube hydroforming, 1
Tubular hydroforming
A numerical study of the effect of loading conditions on tubular hydroforming, 174

Ultra-low carbon steel
CW Nd:YAG laser cutting of ultra low carbon steel thin sheets using O_2 assist gas, 64
Upper bound technique
Optimal blank shape prediction considering sheet thickness variation: An upper bound approach, 249
Utility concept
Taguchi multiple-performance characteristics optimization in drilling of medium density fibreboard (MDF) to minimize delamination using utility concept, 73

V-die bending
The influence of coining force on spring-back reduction in V-die bending process, 230

Waste materials
Novel mullite-based ceramics manufactured from inorganic wastes. I. Densification behaviour, 101
Wax/oil binder
The effects of binder components in wax/oil systems for metal injection molding, 94
Wear
Tribological behavior of Cr_2O_3 coatings as bearing materials, 259

XRD quantitative phase analysis
Analyze complex phases of slag–tundish plaster reactions by modified XRD ratio of slopes method for some kinetic considerations, 52

ZrO_2
Toughened RE-TZP ceramics obtained by HPHT process, 373

ELSEVIER

Volume 196, Issues 1–3, 21 January 2008

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Influences of generalized loading parameters on FLD predictions for aluminum tube hydroforming 1
E. Chu, Y. Xu

Ferroelectric and piezoelectric properties of bismuth layered thin films grown on (1 0 0) Pt electrodes 10
A.Z. Simões, C.S. Riccardi, A. Ries, M.A. Ramirez, E. Longo, J.A. Varela

Deformation of powder metallurgy materials in cold and hot forming 15
I. Pokorska

Spin casting characterization: An experimental approach for the definition of runners design guidelines 33
E. Vezzetti

The evaluation of cutting-force coefficients using surface error measurements..... 42
M. Dotcheva, H. Millward, A. Lewis

Analyze complex phases of slag–tundish plaster reactions by modified XRD ratio of slopes method for some kinetic considerations..... 52
B.M. Moshtaghioun, A. Monshi

CW Nd:YAG laser cutting of ultra low carbon steel thin sheets using O_2 assist gas 64
H.G. Salem, M.S. Mansour, Y. Badr, W.A. Abbas

Taguchi multiple-performance characteristics optimization in drilling of medium density fibreboard (MDF) to minimize delamination using utility concept 73
V.N. Gaitonde, S.R. Karnik, J. Paulo Davim

Finite element simulation of conventional and high speed machining of Ti6Al4V alloy 79
D. Umbrello

Processing of red ceramic using ornamental rock powder waste 88
J.M.S. Moreira, J.P.V.T. Manhães, J.N.F. Holanda

The effects of binder components in wax/oil systems for metal injection molding..... 94
P. Setasuwon, A. Bunchavimonchet, S. Danchaivijit

Novel mullite-based ceramics manufactured from inorganic wastes. I. Densification behaviour 101
F.A.C. Oliveira, V. Livramento, F. Delmas

Validation of electrical discharge machining electrodes made with rapid tooling technologies 109
M. Monzón, A.N. Benítez, M.D. Marrero, N. Hernández, P. Hernández, J. Aisa

Estimation of flow stress behavior of AA5083 using artificial neural networks with regard to dynamic strain ageing effect..... 115
H. Sheikh, S. Serajzadeh

Improvements in out-of-roundness and microhardness of inner surfaces by internal ball burnishing process 120
M.H. El-Axir, O.M. Othman, A.M. Abodiena

Evolution of transformation characteristics with heating/cooling rate in NiTi shape memory alloys 129
K. Nurveren, A. Akdoğan, W.M. Huang

Sheet metal forming analyses with an emphasis on the springback deformation..... 135
M. Firat, B. Kaftanoglu, O. Eser

Improving tool life using cryogenic cooling..... 149
A.A. Khan, M.I. Ahmed

An alternative method for selective metal deposition onto flexible materials 155
N. D. Sankir, R.O. Claus

(Contents continued on page III)

0924-0136(20080121)196:1/3;1-Q

6017

(Contents continued from OBC)

Optimization of the formulation and post-treatment of stainless steel for rapid manufacturing 160
G. Vaneetveld, A.-M. Clarinval, T. Dormal, J.-C. Noben, J. Lecomte-Beckers

The effects of the feed rate on the cutting tool stresses in machining of Inconel 718 165
E. Kose, A. Kurt, U. Seker

A numerical study of the effect of loading conditions on tubular hydroforming 174
N.S.P. Varma, R. Narasimhan

Experimental study on grinding of a sintered friction material 184
E. Atzeni, L. Iuliano

Application of BPANN for prediction of backward ball spinning of thin-walled tubular part with longitudinal inner ribs 190
S. Jiang, Z. Ren, K. Xue, C. Li

Machining of LM13 and LM28 cast aluminium alloys: Part I 197
D.K. Dwivedi, A. Sharma, T.V. Rajan

Effect of microstructure and texture on formability and mechanical properties of hot-dip galvanized steel sheets 205
M. Safaeirad, M.R. Toroghinejad, F. Ashrafizadeh

Elastic stress analysis of bi-layered isotropic coatings and substrate subjected to line scratch indentation. 213
M. Shakeri, A. Sadough, S.R. Ahmadi

Developing mathematical models to predict grain size and hardness of argon tungsten pulse current arc welded titanium alloy 222
M. Balasubramanian, V. Jayabalan, V. Balasubramanian

The influence of coining force on spring-back reduction in V-die bending process 230
D.-K. Leu, C.-M. Hsieh

Processing of titanium–titanium boride dual matrix composites 236
K. Morsi, V.V. Patel, S. Naraghi, J.E. Garay

Nanostructured TiO_2 films for DSSCS prepared by combining doctor-blade and sol–gel techniques 243
A.I. Kontos, A.G. Kontos, D.S. Tsoukleris, M.-C. Bernard, N. Spyrellis, P. Falaras

Optimal blank shape prediction considering sheet thickness variation: An upper bound approach 249
A. Agrawal, N.V. Reddy, P.M. Dixit

Tribological behavior of Cr_2O_3 coatings as bearing materials 259
H. Cetinel, E. Celik, M.I. Kusoglu

Evolution of artificial defects from slab to rolled products 266
P. Záhumenský, M. Merwin

Experimental and numerical investigations: Alleviating tensile residual stresses in flash-butt welds by localised rapid post-weld heat treatment 279
D. Tawfik, P.J. Mutton, W.K. Chiu

Quantitative shape evaluation of graphite particles in ductile iron 292
A. De Santis, O. Di Bartolomeo, D. Iacoviello, F. Iacoviello

Optimisation of effective factors in geometrical specifications of laser percussion drilled holes 303
M. Ghoreishi, O.B. Nakhjavani

Adjustment and readjustment of electrochemical machines and control of the process parameters in machining shaped surfaces 311
Z. Brusilovski

Drawing of CCCT diagrams by static deformation and consideration deformation effect on martensite and bainite transformation in NiCrMoV steel 321
T. Reza, N. Abbas, S. Reza

Some studies on drilling of hybrid metal matrix composites based on Taguchi techniques 332
S. Basavarajappa, G. Chandramohan, J.P. Davim

Modelling of the effects of welding conditions on dilution of stainless steel claddings produced by gas metal arc welding procedures 339
A.S. Shahi, S. Pandey

Experimental study of the features of the kerf generated by a 200 A high tolerance plasma arc cutting system 345
R. Bini, B.M. Colosimo, A.E. Kutlu, M. Monno

Investigation on the ballistic behavior of Al_2O_3/Al2024 laminated composites 356
M. Übeyli, R.O. Yıldırım, B. Ögel

Thermal and superconducting properties of glass–ceramic HT_c BiSrCa(CuPr)O system 365
M.A. Aksan, M.E. Yakinci

Toughened RE-TZP ceramics obtained by HPHT process 373
C. Kuranaga, R. Leite, M. Filgueira

A systematic solution methodology for inferential multivariate modelling of industrial grinding process ... 379
I. Mukherjee, P.K. Ray

The application of the random balance method in laser machining of metals 393
E. Cicală, A. Soveja, P. Sallamand, D. Grevey, J.M. Jouvard

Author index 402

Subject index 404